



**KERALA TOURISM DEVELOPMENT CORPORATION LIMITED**

(A Government of Kerala Undertaking)

Engineering Wing, Mascot Square, Thiruvananthapuram -695 033

Phone: 2318976, 2721243 Fax: ++91-471-2316168

E-mail: [chiefengineer@ktdc.com](mailto:chiefengineer@ktdc.com) website: [www.ktdc.com](http://www.ktdc.com)

AE(E)/KTDC.EW-TVM/250/HC-DG/2021

22-03-2021

**QUOTATION NOTICE**

Sub:- KTDC – Hotel Chaithram, Trivandrum – Erection of supplied 400 kVA diesel generator set including cabling, earthing, exhaust extension, and dismantling the existing DG Set – Quotation Notice-reg.

Competitive offers are invited from reputed firms for the Erection of supplied 400 kVA diesel generator set including cabling, earthing, exhaust extension, and dismantling the existing DG Set at Hotel Chaithram, Trivandrum as per the schedule attached and the following terms and conditions,

SI No.	Name of Work	PAC	Time of completion	Eligibility
1	KTDC– Hotel Chaithram, Trivandrum – Erection of supplied 400 kVA diesel generator set including cabling, earthing, exhaust extension, and dismantling the existing DG Set.	Rs.4,44,530/-	30 days	Contractors with minimum valid A grade license with valid A grade supervisor permit & wireman permit <b>with minimum scope of 320 kW</b> issued by the Kerala State Electricity Licensing Board and has executed & completed one similar work costing not less than <b>Rs. 3.5 Lakhs</b> in last two years (Copies of license/permits and details of experience certificate shall be enclosed along with offer).

**Terms & Conditions**

1. The rate shall be inclusive of GST, duties, loading, unloading charges, transportation, other incidental expenses and net for the work at site. No rate escalation will be allowed under any circumstances.

*Handwritten signature and date:*  
22/03/2021

2. All statutory deductions will be deducted from the bill and exemptions if any shall be informed with supporting documents.
3. The bidders shall have minimum valid A grade contractor license having minimum scope of 320kW with valid A grade supervisor permit issued by Kerala state Electricity Licensing Board.
4. The work shall be carried out in consultation with the KTDC officials
5. The work shall be completed within 30 days from the date of arrival of DG set at site.
6. The work has to be planned & completed without affecting the normal functioning of the Hotel.
7. All the works are to be carried out with good workmanship as per the latest code of practice in accordance with the rules and regulation of the Kerala State Electrical Inspectorate.
8. Payment Terms-100% payment will be released on full completion of all works at site.
9. The successful bidder shall execute an agreement in Kerala stamp paper worth Rs. 200/- with a Security Deposit of 5% of contract value for the fulfillment of contract. The security deposit will be released on expiry of defect liability period.
- 10. The quotations shall be enclosed and submitted in a sealed envelope on which the name of work shall be clearly superscripted. Otherwise the quotations will be summarily rejected.**

The offer shall reach the office of the Chief Engineer, KTDC Ltd., Mascot Square, Trivandrum – 695 033 on or before **06-04-2021, 11.30 AM.**

**If the last date mentioned falls as a holiday or Harthal, the very next working day will be treated as the last date.**

  
MANAGING DIRECTOR  
Kerala Tourism Development Corporation Ltd.  
 

**ERECTION OF SUPPLIES SUPPLIED 400kVA DIESEL GENERATOR SET INCLUDING CABLING, EARTHING, EXHAUST EXTENSION, AND DISMANTLING THE EXISTING DG SET AT HOTEL CHAITHRAM, TRIVANDRUM - QUOTATION BOQ**

Sl No	Qty	Description	Rate	Unit	Amount
1		Supply, laying and clamping of 1 no. PVC insulated and PVC sheathed armoured aluminium power cable, 1.1 KV grade of the following sizes using clamps noted along with the cables, spacing of clamps not exceeding 60cms, making good the damages, colour washing etc. as required.			
a	10	3.5 core 400 sq mm		m	
b	10	3.5 core 150 sq mm		m	
c	10	3.5 core 185 sq mm		m	
2		Supplying and making end termination with brass compression gland and aluminium lugs for following size of PVC insulated and PVC sheathed / XLPE aluminium conductor cable of 1.1 KV grade as required.			
a	4	3.5 core 400 sq mm (82mm)		set	
b	2	3.5 core 150 sq mm (50mm)		set	
c	2	3.5 core 185 sq mm (57mm)		set	
3		Supply & laying of following copper flexible cable of 1.1 KV grade of following size cable through trench/wall/ ceiling.			
a	20	2Cx 2.5 sq mm		m	
b	20	4Cx 2.5 sq mm		m	
4	3	Earthing with G.I. earth plate 600 mm X 600 mm X 6 mm thick including accessories, and providing masonry enclosure with cover plate having locking arrangement and watering pipe of 2.7 metre long etc. with charcoal/ coke and salt as required.		set	
5	100	Supply and clamping the following size of strips on surface of wall/ parapet/ existing cable tray using clamps fabricated from 20 X 3 mm GI flat duly painted or heavy duty GI spacer saddles spacing of clamps not exceeding 1 m, making good the damages, colour washing etc. as required ( for horizontal run). 25 x 3 mm copper strip		m	
6	5	Providing and laying in position cement concrete 1 :3:6 (1 cement : 3 coarse sand : 6 graded stone aggregate 20 mm nominal size) in foundation of pump, DG set etc. including form work etc. as required.		cum	

*Handwritten signature and date:*  
 PVS  
 22/03/2021  
 CE

